



Vibrating Table

The Cooper Technology fixed amplitude vibrating tables are compact units providing controlled vibro-compaction for cube or cylinder moulds. Vibrating tables consist of vibrating motor, command unit and clamping assembly. For laboratory use the table is available in two alternative models. The small table accepts 2, large table accepts 6 cube or cylinder moulds by using clamping assembly. TC-0900 and TC-0910 tables can also be used for beam moulds. For on site applications, portable TC-0920 Vibrating Table is designed for preparing the cube or cylinder specimens by vibration. 1 or 2 pcs. cube or cylinder mould can be clamped on the table depending on outer size of the mould to be used. TC-0920 Vibration Tables are supplied complete with a converter (DC 12 to 220V).

Standards

- EN 12390-2
- ASTM C31
- ASTM C192

Specifications

Technical specifications are subject to change without notice.

Product Code	Dimensions mm (W x D x H)	Weight (approx.) Kg	Power W
Vibrating Table Small EN/ASTM (TC-0900E/A)	610 x 380 x 800	52	180
Vibrating Table Large EN/ASTM (TC-0910E/A)	1000 x 500 x 1050	130	180
Vibrating Table Large Site Type (Portable) EN (TC-0920E)	500 x 500 x 450	20	180

Datasheet Version: 19.01/01